



**PASCO**  
International Trading LLC.



# Ducting Catalog

## 2026

Pasco's ventilation products are manufactured from durable polyethylene woven coated fabric or polyester-coated PVC, ensuring strong performance in harsh conditions. The ducting features welded top and bottom seams that greatly reduce air leakage while increasing product lifespan compared to standard alternatives.

Pasco's ventilation ducting is reinforced with polyester, while its lightweight and flexible design allows for easy installation and handling. Available in a range of standard, fire-retardant, the ducting can be tailored to meet various operational and safety requirements for both temporary construction projects ventilation systems.

### Key Product Benefits

- **High-quality materials:** Made from polyethylene woven coated fabric or polyester-coated PVC for robust performance.
- **Improved efficiency:** Lower air loss means better ventilation performance and reduced operational energy costs.
- **Extended lifespan:** Stronger seam construction provides greater durability than many competing products.
- **High tear resistance:** PVC coating reinforced with polyester yarn enhances structural integrity.
- **Lightweight and flexible:** Easy to transport, install, and adapt to tunnel layouts.
- **Customizable performance:** Available in multiple tensile strength grades.
- **Safety options:** Fire-retardant and antistatic versions available for hazardous environments.
- **Versatile use:** Suitable for temporary construction ventilation.



# Exsternal Ventilation Ducking

## Size Chart

Diameter	Length 1 (M)	Length 2 (M)	Length 3 (M)	Length 4 (M)
305	5	10	25	
406	5	10	25	
508	5	10	25	
610	5	10	25	50
810	5	10	25	50
910	5	10	25	50
1010	5	10	25	50
1210	5	10	25	50
1310	5	10	25	50
1410	5	10	25	50



## Exsternal Ventilation Ducking (White)



## Exsternal Ventilation Ducking (Grey)



- \* Exsternal Ventilation Duct can be used for supply as well return air.
- \* Customize color depending on customer requirements.
- \* Customize duct length and diameter depending on client specification.
- \* Option on no-insulated and insulated duct.
- \* Pre installed eyelets for securing duct to support .
- \* Skirt fitted to one end for join to extend the duct to minimize air leakages.




## PVC Exsternal Blower Exhaust Ducting



- \* Exsternal Ventilation Duct an be used for supply or exhaust air.
- \* Color availability, Oranges, Gry, Yellow.
- \* Customize duct length and diameter depending on client specification.
- \* Pre installed eyelets for securing duct to support .
- \* Skirt fitted to one end for join to extend the duct to minimize air leakages.
- \* Flame retardant.
- \* Inner diameter 4" to 48".



## PVC Internal Ducting



- \* Internal Ventilation Duct can be used for supply air.
- \* Color availability, Black, White, Transparent.
- \* Customize duct length and diameter depending on client specification.





**PASCO**

International Trading W.L.L

**PASCO INTERNATIONAL TRADING LLC.**

**30 N. GOULD STREET, STE 33354, SHERIDAN, WYOMING 82801**

**UNITED STATES OF AMERICA ( USA)**

**USA : +1- (307) 392 - 0949**

---

**PASCO INTERNATIONAL TRADING WLL.**

**P.O.BOX: 47158, OFFICE# 750 ST. 63 BUILDING NUMBER**

**71 ZONE UMM SALAL, DOHA**

**QATAR MOB : 00974 - 7787 1414, 00974 - 7047 9386**

